

Table 1.12a
One Year Adjusted Patient Survival by Organ and Year of Transplant, 1997 to 2006

	Year of Transplant									
	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Number of Transplants										
Kidney: Deceased Donor	6,573	6,803	6,855	6,778	6,952	7,173	7,300	7,784	8,285	8,865
Kidney: Living Donor	3,596	4,008	4,262	4,961	5,370	5,567	5,746	5,948	5,854	5,750
Pancreas Transplant Alone	58	54	86	92	101	115	96	98	111	84
Pancreas After Kidney	89	107	137	223	221	302	278	322	272	218
Kidney-Pancreas	834	960	920	900	876	893	859	870	881	899
Liver: Deceased Donor	3,487	3,854	3,919	3,950	4,014	4,266	4,607	5,008	5,175	5,358
Liver: Living Donor	82	86	234	390	513	354	311	316	311	281
Intestine	55	61	56	69	105	91	100	142	147	147
Heart	2,190	2,211	2,064	2,094	2,103	2,042	1,960	1,891	1,971	2,071
Lung	874	816	842	922	1,008	1,002	1,030	1,121	1,328	1,343
Heart-Lung	62	44	48	46	27	32	26	38	34	31
Survival (%)										
Kidney: Deceased Donor	94.1%	95.0%	94.4%	94.2%	94.9%	95.1%	95.2%	95.6%	95.4%	95.9%
Kidney: Living Donor	97.4%	97.8%	97.9%	97.7%	97.7%	98.0%	98.4%	98.2%	98.3%	98.6%
Pancreas Transplant Alone	91.7%	98.2%	96.6%	+	97.0%	97.4%	93.9%	95.0%	98.2%	97.6%
Pancreas After Kidney	94.3%	94.4%	94.2%	95.9%	95.5%	95.7%	95.4%	95.6%	97.8%	96.8%
Kidney-Pancreas	94.8%	93.7%	95.0%	95.1%	94.2%	94.9%	95.6%	94.6%	95.3%	94.8%
Liver: Deceased Donor	85.3%	85.4%	84.7%	86.2%	85.6%	86.7%	86.3%	87.1%	86.7%	87.6%
Liver: Living Donor	85.0%	78.5%	80.7%	86.6%	87.8%	85.1%	90.6%	92.3%	89.4%	91.2%
Intestine	60.4%	68.7%	61.1%	75.8%	72.7%	77.5%	81.9%	80.1%	79.1%	78.4%
Heart	85.1%	85.7%	83.9%	85.8%	85.6%	87.1%	88.1%	88.1%	87.5%	87.9%
Lung	75.1%	75.3%	75.3%	76.3%	77.0%	80.9%	83.8%	85.0%	83.1%	84.8%
Heart-Lung	59.2%	56.9%	55.7%	63.1%	74.5%	62.0%	54.7%	73.6%	76.2%	71.2%
Standard Error(Pct. Pts.)										
Kidney: Deceased Donor	0.3%	0.3%	0.3%	0.3%	0.3%	0.2%	0.2%	0.2%	0.2%	0.2%
Kidney: Living Donor	0.3%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.1%
Pancreas Transplant Alone	3.6%	1.8%	1.9%	+	1.7%	1.5%	2.4%	2.2%	1.2%	1.6%
Pancreas After Kidney	2.5%	2.2%	2.0%	1.3%	1.4%	1.2%	1.3%	1.1%	0.9%	1.2%
Kidney-Pancreas	0.8%	0.8%	0.7%	0.7%	0.8%	0.7%	0.7%	0.8%	0.7%	0.7%
Liver: Deceased Donor	0.6%	0.6%	0.6%	0.6%	0.6%	0.5%	0.5%	0.5%	0.5%	0.4%
Liver: Living Donor	4.4%	4.8%	2.7%	1.8%	1.5%	1.9%	1.6%	1.5%	1.7%	1.7%
Intestine	6.4%	5.8%	6.4%	5.1%	4.3%	4.3%	3.8%	3.3%	3.3%	3.4%
Heart	0.8%	0.7%	0.8%	0.8%	0.8%	0.7%	0.7%	0.7%	0.7%	0.7%
Lung	1.5%	1.6%	1.5%	1.5%	1.4%	1.3%	1.2%	1.1%	1.0%	1.0%
Heart-Lung	6.3%	7.4%	7.1%	7.0%	8.1%	8.4%	9.5%	7.1%	7.2%	8.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up.

Multi-organ transplants are excluded for kidney, pancreas, heart, lung, and liver survival rates.

Intestine survival includes intestine with liver and/or pancreas transplants.

Living donor transplants excluded unless explicitly listed. Heterotopic heart and liver transplants excluded.

Patient survival follows patients from first transplant of this type until death. Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type organ.

Survival rates are adjusted to the characteristics of the 2006 cohort. See Technical Notes for details.